



BREACH CANDY HOSPITAL TRUST

An 'NABH' Accredited Hospital

CIN : U85100MH1946GAT005082

60-A, Bhulabhai Desai Road, Mumbai 400 026.

☎ : 022 - 6919 7788, 022 - 6259 7788 ☎ : 8657112952

✉ : info@breachcandyhospital.org 🌐 : www.breachcandyhospital.org

Date:19/06/2026

To,
Maharashtra Pollution Control Board,
Kalpataru Point,
1st Floor, Road No 8,
Opp PVR Theatre,
Sion Circle,
Mumbai - 400022.

Sub: **Submission of BMW Annual Report for Jan –Dec 25**

Dear Sir,

Attached herewith the BMW annual report for January –December 25 of Breach Candy hospital Trust in the prescribed Format.

Kindly acknowledge receipt of same.

Regards,


Dr Rohit Barman

Medical Director

DR. ROHIT BARMAN
MBBS, FMGEMS (USA)
MMC No. 47420
MEDICAL DIRECTOR
BREACH CANDY HOSPITAL TRUST
60-A, BHULABHAI DESAI ROAD,
MUMBAI - 400 026



BREACH CANDY HOSPITAL TRUST

An 'NABH' Accredited Hospital
CIN : U85100MH1946GAT005082

60-A, Bhulabhai Desai Road, Mumbai 400 026.

☎ : 022 - 6919 7788, 022 - 6259 7788 ☎ : 8657112952

✉ : info@breachcandyhospital.org 🌐 : www.breachcandyhospital.org

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Breach Candy Hospital Trust
	(ii) Name of HCF or CBMWTF	:	
	(iii) Address for Correspondence	:	60-A, Bhulabhai Desai Road, Mumbai -26.
	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	022-62597788. Fax-23672666
	(vi) E-mail ID	:	info@breachcandyhospital.org
	(vii) URL of Website	:	www.breachcandyhospital.org
	(viii) GPS coordinates of HCF or CBMWTF	:	Lat 18°58'21"N Long. 72°48'17"E
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)- Charitable Trust
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No: UAN No. MPCB-CONSENT- 0000183313/CO/2312001601 valid up to: 31/05/2027
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:31/05/2027
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:--272
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical	:	NA



Home Services: Lab Collection: 86579 19100, Physiotherapy: 86579 73162, Pharmacy: 98198 86677, X-ray: 82919 50782

Laboratory or Research Institute or Veterinary Hospital																															
(iii) License number and its date of expiry		Reg no 887301347 & Reg no. 888023856 valid upto 31/03/2028																													
3.	Details of CBMWTF	:	NA																												
	(i) Number healthcare facilities covered by CBMWTF	:	NA																												
	(ii) No of beds covered by CBMWTF	:	NA																												
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA Kg per day																												
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA _Kg/day																												
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 6713 kg/ month kg/ r Red Category : 6275 kg/month Others: 363 kg/month 437 Blue Category :kg/month General Solid waste: Black : 7500 kg/ month																												
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																														
	(i) Details of the on-site storage facility	:	Size 520 sq ft approx. Capacity : Adequate for handling BMW waste of the hospital Provision of on-site storage : (cold storage or any other provision)																												
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Autoclaves</td> <td>2</td> <td>85 lts each</td> <td>Being done</td> </tr> <tr> <td>Microwave</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Hydroclave</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Shredder</td> <td>---</td> <td>---</td> <td>---</td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators	---	---	---	Plasma Pyrolysis	---	---	---	Autoclaves	2	85 lts each	Being done	Microwave	---	---	---	Hydroclave	---	---	---	Shredder	---	---	---
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																												
Incinerators	---	---	---																												
Plasma Pyrolysis	---	---	---																												
Autoclaves	2	85 lts each	Being done																												
Microwave	---	---	---																												
Hydroclave	---	---	---																												
Shredder	---	---	---																												



			Needle tip cutter or destroyer	---	---	Being done
			Sharps encapsulation or concrete pit	---	---	---
			Deep burial pits	---	---	---
			Chemical disinfection	---	---	---
			Any other treatment equipment	---	---	---
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	:	Red Category (like plastic, glass etc.) 6275			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	one			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Incineration Ash	Quantity generated	Where disposed	
				NA		
			ETP Sludge	ETP is only Laundry Sludge is not generated		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	SMS Envoclean Pvt Ltd			
	(vii) List of member HCF not handed over bio-medical waste.		NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES . Biomedical waste management committee is a part of Hospital Infection Control Committee. Minutes of the meeting attached			
7	Details trainings conducted on BMW					
	(i) Number of trainings conducted on BMW Management.		61			
	(ii) number of personnel trained		929			
	(iii) number of personnel trained at the time of induction		84			
	(iv) number of personnel not undergone any training so far		0			
	(v) whether standard manual for training is available?		YES			

Handwritten signature



8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		No major accident occurred
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?		We don't have an incinerator
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		ETP – for laundry effluent .After treatment it is being n transferred to STP – It is MBBR type 400M3 Cap STP discharge water parameters are within MPCNB limits
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		Yes, we put biological indicator s every week
			NO
12	Any other relevant information		We don't have incineration plant. Biomedical waste is taken by SMS Envoclean (MPCB authorized agency regularly.

Certified that the above report is for the period from
1st January 2025 to 31st December'2025.


Name and Signature of the Head of the Institution

Date:
Place: Mumbai

DR. ROHIT BARMAN
MBBS, FMGEMS (USA)
MMC No. 47420
MEDICAL DIRECTOR
BREACH CANDY HOSPITAL TRUST
60-A, BHULABHAI DESAI ROAD,
MUMBAI - 400 026

BREACH CANDY HOSPITAL TRUST

CIN : U85100MH1946GAT005082

60-A, Bhulabhai Desai Road, Mumbai 400 026.

Telephone : 2366-7788, 2367 -1888 / 2888, 6919 7788 Fax : 2367-2666

Email : info@breachcandyhospital.org; www.breachcandyhospital.org

FORM – I

[(See rule 4(o), 5(i) and 15 (2))]

ACCIDENT REPORTING

1. Date and time of accident: No major accident during the year
2. Type of Accident : NA
3. Sequence of events leading to accident: NA
4. Has the Authority been informed immediately: NA
5. The type of waste involved in accident : NA
6. Assessment of the effects of the accidents on human health and the environment: NA
7. Emergency measures taken: NA
8. Steps taken to alleviate the effects of accidents : NA
9. Steps taken to prevent the recurrence of such an accident : NA
10. Does your facility have an Emergency Control policy? If yes give details:NA

Date: 18/06/2024

Place: Mumbai

Signature

Designation



Handwritten signature

Handwritten signature

BREACH CANDY HOSPITAL TRUST

CIN : U85100MH1946GAT005082

60-A, Bhulabhai Desai Road, Mumbai 400 026.

Telephone : 2366-7788, 2367 -1888 / 2888, 6919 7788 Fax : 2367-2666

Email : info@breachcandyhospital.org; www.breachcandyhospital.org

Extracts from the minutes of the Hospital Infection Control Committee meeting conducted on 11-02-2025 at 2.00 pm in the Auditorium.

Points Discussed:

- No needle stick (sharp) injury incidents were reported. Dr. Seema presented observations related to biomedical waste disposal and requested healthcare workers to remain vigilant about safe sharp disposal. The Medical Director suggested conducting a training session for housekeeping staff to improve awareness and compliance.
- Dr. Poojary requested the nursing team to support with additional staff for one hour each during the morning and afternoon OPD, once a month, to assist with vaccination process.
- BMW
 - Strengthening of labelling of bags, Containers
 - Carefully and tightly closing sharp plastic containers
- Needles stick injuries: 0 incident
- Exposure to blood & body fluids: 0 incidents
- Audit: HH audit, Device maintenance audit: Line care, Safe infusion practices audit, BMW audit, Sharp safety audit, Housekeeping audit, Endoscopy audit, OT audit



A handwritten signature in blue ink, appearing to be 'R. Desai', written below the circular stamp.

A handwritten signature in blue ink, appearing to be 'Shilpa', written to the right of the first signature.

BREACH CANDY HOSPITAL TRUST

CIN : U85100MH1946GAT005082

60-A, Bhulabhai Desai Road, Mumbai 400 026.

Telephone : 2366-7788, 2367 -1888 / 2888, 6919 7788 Fax : 2367-2666

Email : info@breachcandyhospital.org; www.breachcandyhospital.org

Extracts from the minutes of the Hospital Infection Control Committee meeting conducted on 06-10-2025 at 2.00 pm in the Auditorium.

Points Discussed:

- Dr. Seema informed that two needle stick (sharp) injury incidents were reported. The post-exposure protocol was followed for the HCWs. Dr. Seema reiterated the importance of sharp safety and advised staff to remain vigilant while handling sharps.
- Exposure to blood & body fluids: 0 incidents

Audits: •

Hand Hygiene, Safe Infusion Practices, Central Waste Area, PET-CT Department, Housekeeping, BMW, Isolation Precaution, Care of Invasive Devices (Insertion and Maintenance)



A handwritten signature in blue ink, appearing to be "Seema", written below the stamp.

A handwritten signature in blue ink, appearing to be "Shashi", written in the bottom right corner of the page.



BREACH CANDY HOSPITAL TRUST

An 'NABH' Accredited Hospital
CIN : U85100MH1946GAT005082
60-A, Bhulabhai Desai Road, Mumbai 400 026.
☎ : 022 - 6919 7788, 022 - 6259 7788 ☎ : 8657112952
✉ : info@breachcandyhospital.org 🌐 : www.breachcandyhospital.org

Xerox
copy
for
Acknowledged

Date: 19/06/2026

To,
Maharashtra Pollution Control Board,
Kalpataru Point,
1st Floor, Road No 8,
Opp PVR Theatre,
Sion Circle,
Mumbai - 400022.

Sub: Submission of BMW Annual Report for Jan -Dec 25

Dear Sir,

Attached herewith the BMW annual report for January -December 25 of Breach Candy hospital Trust in the prescribed Format.

Kindly acknowledge receipt of same.

Regards,


Dr Rohit Barman

Medical Director

DR. ROHIT BARMAN
MBBS, FMGEMS (USA)
MMC No. 47420
MEDICAL DIRECTOR
BREACH CANDY HOSPITAL TRUST
60-A, BHULABHAI DESAI ROAD,
MUMBAI - 400 026

 22-06-26
Maharashtra Pollution Control Board
Regional Office: Mumbai
Kalpataru Point, 2nd Floor, Near Sion Circle,
Front of Movie Max Theater, Shiv (East), Mumbai-400 022